

PPG INDUSTRIES NEW ZEALAND LIMITED

And

PPG ARCHITECTURAL FINISHES

PAINT SYSTEM GUARANTEE APPLICABLE FOR PPG PRIMED TIMBER PRODUCTS

MANUFACTURED AS LIFESPAN® SOLID SELECT

Limited Warranty – Effective 1 March 2013.

1. Subject to the following terms and conditions, PPG Industries New Zealand Limited (“PPG”) warrants for a period of 10-15 years from installation of the primed timber products, and completion of top coat painting in accordance with the conditions and specifications set out on label directions, published Technical Data Sheets, and below, that under normal exposure conditions, PPG Pittsburgh Paints Manor Hall Exterior Latex and PPG Porter Paints Acri-Shield Exterior Latex will not:
 - Blister, peel and flake: the finish coat will not blister; peel or flake for a period of 10-15 years over PPG primed LIFESPAN® SOLID SELECT Products.

Warranty Terms and Conditions

1. Two coats of topcoat using the PPG Pittsburgh Paints Manor Hall Exterior Latex and PPG Porter Paints Acri-Shield Exterior Latex products shall be applied in accordance with the surface preparation and application procedures set out in the label directions. Each coat of topcoat must be applied at a coverage rate of not more than 400 square feet per gallon (9.8 square metres per litre) of paint.
2. Application of PPG Pittsburgh Paints and PPG Porter Paints products should take place within one year after installation. Surfaces shall be assessed after a 2 month period and light abrasion carried out to remove surface oxidation if this is present. Painting outside that period may require further preparation and repriming with PPG Seal-Grip Universal Primer/Sealer or PPG Perma-Crete Alkali Resistant Latex Primer to a tradesman like standard if chalking or other surface damage has occurred.
3. **IN THE EVENT THAT THE PAINTING SYSTEM ON THE TIMBER PRODUCT FAILS TO CONFORM TO THIS LIMITED WARRANTY, PPG, AS ITS SOLE LIABILITY AND IN LIEU OF ANY DIRECT OR INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, WILL AT ITS OPTION, FURNISH SUFFICIENT REPLACEMENT PAINT TO ENABLE THE TIMBER PRODUCTS INVOLVED TO BE REPAINTED, OR REFUND THE PURCHASE PRICE ORIGINALLY PAID FOR THE PPG PRODUCTS. LABOUR OR COSTS OF LABOUR FOR THE APPLICATION OF ANY PRODUCT OR OTHER EXPENSES (FILLERS, SANDPAPER, SCAFFOLDING ETC) ARE SPECIFICALLY EXCLUDED TO THE EXTENT PERMITTED BY LAW. PPG'S OBLIGATION UNDER THIS WARRANTY SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE ORIGINAL PPG PRODUCT. ANY REPLACEMENT PAINT PRODUCT PROVIDED IN RESPONSE TO A WARRANTY CLAIM SHALL BE WARRANTED ONLY FOR THE BALANCE OF THE WARRANTY PERIOD.**
4. Further, the warranty *does not* apply or extend to:

- a) Damage or failure caused by improper application of the primer to the primed timber products, failure to adhere to applicable surface preparation and application procedures, or failure to take appropriate quality control measures, in relation to the application of the primer to the timber products;
 - b) Damage or failure caused by excessive warping, cupping, splitting, cracking and shrinkage of primed timber products, breakdown of underlying substrate; falling objects; faulty or improper storage and installation; lack of proper maintenance; accidental damage; structure defects; fire, lightning, hurricane, tornado, windstorm, earthquake, hail or other acts of God; harmful chemicals, including harmful cleaning compounds, surface deterioration due to air pollution; misuse, abuse, vandalism, mildew accumulation, scratching, abrading or misuse/abuse of pre-finished product after application;
 - c) Extractive and tannin bleeding, exudation, mold, mildew, efflorescence, and color appearance and fading;
 - d) Damage or failure caused by chemical or preservative treatment of the timber or by any chemicals, preservatives or solvents used in the treatment of timber
5. Except as set out in this guarantee PPG makes no other express nor implied warranties in relation to the PPG Product or the painted timber products. PPG specifically disclaims any implied warranties to the extent permitted by law.

Claims

6. All claims under this Limited Warranty must be submitted during the Warranty Period and within thirty (30) days after discovery of the claimed defect. Claims must be made in writing to: **PPG Architectural Finishes, 5500 Corporate Drive, Suite500, Pittsburgh, PA 15237 ATTN: Technical Department**
7. When making a claim, proof must be supplied that the claimed defective coating is PPG Pittsburgh Paints Manor Hall Exterior Latex or PPG Porter Paints Acri-Shield Exterior Latex and the date of its purchase. In addition, if requested PPG must be provided reasonable access to the structure where the PPG Product has been used in order to permit PPG's representative to inspect, photograph, and obtain samples for evaluation prior to repair or replacement.

SPECIFICATIONS FOR PAINTING (CUSTOMER DETAILS) PRIMED ARCHITECTURAL PINE

KEEP COVERED UNTIL READY FOR USE

1. Fill all nail holes with an exterior filler as per manufacturer's directions. Note that some fillers do not require priming before use.
2. Remove surface contamination and wash with clean water and allow to dry.
3. Surfaces shall be clean and dry and free of contaminants of dirt, salts, oils and surface oxidation before recoating. After a period of 60 days a clean down to remove contaminants and a light abrasion to remove oxidation shall be carried out if any of these contaminants are present prior to top coating. Prime any bare timber rub through areas with PPG Seal-Grip Universal Primer/Sealer or PPG Perma-Crete Alkali Resistant Latex Primer.
4. When using acrylic topcoat, apply two (2) coats of a premium brand acrylic topcoat as per label directions.

Notes:

- Resin may bleed from wood in hot, sheltered conditions. To reduce the risk of this occurring it is advisable to paint in light colours and follow the above instructions
- For better results it is recommended that a good quality acrylic undercoat is used before topcoating (for best results allow undercoat to dry for a minimum of 24 hours).

A TOPCOAT PAINT SYSTEM WITH A 10-15 YEAR GUARANTEE IS SEPERATELY AVAILABLE FROM PPG ARCHITECTURAL DIVISIONS. FOR DETAILS OF THIS GUARANTEE CONTACT PPG CUSTOMER SUPPORT BEFORE PAINTING AS FOLLOWS:

United States 1-800-441-9695

New Zealand 0800 263 766